

FOOTWEAR

Polymax® Ultra Knee Boot

An economical alternative to more expensive neoprene boots. High-molecular-weight resins provide superior protection against chemicals and contamination in a wide variety of work environments. Self-cleaning Ultragrip® sipe sole offers excellent slip resistance. Seamless construction is completely leakproof. Other features include a built-in steel shank, toe and heel bumpers and a removable/replaceable three-layer insole. Ideal for use in red meat processing, oil rigs, chemical plants, hazardous waste management and food processing applications. Steel toe complies with ASTM F2413-05. Specify size when ordering.



84075

Ultragrip
Sipe Sole

81076

Item No	Description	Color	Size	PRICED/PAIR	
				1-5	6
ONG84076	Steel Toe, 16"	Brown	6-15	62.86	59.72
ONG81076	Steel Toe, 16"	White	6-15	57.32	52.91
ONG84075	Plain Toe, 16"	Brown	6-15	60.36	57.34

Polyblend® Steel Midsole Boot

A steel midsole provides complete underfoot protection from sharp objects such as metal shavings, nails and glass. A steel toe offers extra foot protection, and replaceable insoles are easy to clean. Made of chemical-resistant polyurethane and PVC blend. The 16" Boot features an Ultragrip® sipe outsole, and has pull-up and kick-off lugs. Meets or exceeds ASTM F2413-05 and CSA Z195-02. Specify size when ordering.

Ultragrip
Outsole

Item No	Description	Color	Size	PRICED/PAIR	
				1-5	6
ONG86802	Steel Midsole/Toe, 16"	Black	6-15	47.96	45.56



Polyblend® Boot and Workshoe

Made of chemical-resistant polyurethane and PVC. Features a nonslip, self-cleaning cleated sole and a removable, washable cushion insole. Design includes a molded-in pant stay and pull-up/kick-off lugs for easy on/off. Also includes a steel shank for optimum comfort and safety (Men's style only). Ideal for use in the lawn care industry, poultry/food processing, chemical plants, oil rigs and refineries, mining and breweries. Steel toe complies with ASTM F2413-05. Specify size when ordering.

Cleated Outsole



86104

86101

				PRICED/PAIR	
Item No	Description	Color	Size	1-5	6
Men's Boot					
ONG86102	Steel Toe, 16"	Black	4-13	26.17	24.86
ONG86101	Plain Toe, 16"	Black	4-13	23.65	22.47
Women's Boot					
ONG56132	Steel Toe, 14"	Black	5-11	26.17	24.86
ONG56131	Plain Toe, 14"	Black	5-11	23.65	22.47
Men's Shoe					
ONG86104	Steel Toe, 6"	Black	6-13	26.17	24.86
ONG86103	Plain Toe, 6"	Black	6-13	23.65	22.47

Flex3™ PVC Knee Boot

The 15" Flex3 is designed to provide excellent indoor slip resistance. Features a triple injection process that provides optimal comfort and increased wear. The upper is made of a black polyblend PVC compound that resists animal fats, acids, oils, greases and chemicals. The Power-Lug outsole is slip resistant and self cleans for added traction. Features include a steel shank, polyester lining and removable three-layer insole. Heel and toe bumpers offer added protection. Steel toe style complies with ASTM F2413-05. Specify size when ordering.



Power-Lug Outsole

Item No	Description	Color	Size	PRICED/PAIR	
				1-5	6
ONG89908	Steel Toe, 15"	Black	5-15	33.70	32.02
ONG89904	Plain Toe, 15"	Black	5-15	31.19	17.15

Goliath PVC-Blend Work Boot

The rugged Goliath Boot provides excellent resistance to fats, acids, oils, greases and chemicals. It is ideal for use in food processing, chemical plants, lawn care, canneries, mining or brewing applications. The 100% waterproof polyblend construction resists abrasion. Features a removable insole, a steel shank for arch support and a Power-Lug outsole which provides excellent slip resistance. Steel toe complies with ASTM F2413-05. Specify size when ordering.

Power-Lug
Outsole

Item No	Description	Color	Size	PRICED/PAIR	
				1-5	6
ONG89682	Steel Toe, 16"	Black	5-15	24.40	23.18
ONG89680	Plain Toe, 16"	Black	5-15	21.96	20.86

FOOTWEAR

PVC Economy Work Shoe and Boot

For wet, muddy conditions where resistance to chemicals is not required, choose the 6" PVC **Economy Work Shoe**. This durable shoe features a nonslip, self-cleaning sole, kick-off lug and replaceable insole. Also includes a steel toe and reinforced shank. Polyester lining is easily cleaned. Perfect for agriculture, aquaculture and general construction. Black with a Black sole. A 16" **Knee Boot** is available with or without a steel toe. Steel toe complies with ASTM F2413-05. Specify size when ordering.



Work Shoe

Knee Boot

				PRICED/PAIR	
Item No	Description	Color	Size	1-5	6
Work Shoe					
ONG86604	Steel Toe, 6"	Black	6-13	17.04	16.19
Knee Boots					
ONG86606	Steel Toe, 16"	Black	4-13	17.04	16.19
ONG86605	Plain Toe, 16"	Black	4-13	14.60	13.87

PRO+™ Chemical-Resistant Knee Boot

A dual-design outsole and dual compounding creates a boot with excellent slip resistance and reliable chemical resistance. Upper compounds resist specific organic chemicals, while outsole compounds are created for durability and slip resistance. The outsole pattern channels fluids outward. Features a foot-fitting design and ergonomic footbed with removable insoles. Seamless 100% waterproof construction. Ideal for meat, petroleum, chemical, and food processing industries. Steel toe meets ASTM F2413-05. Specify size when ordering.



Item No	Description	Color	Size	PRICED/PAIR	
				1-5	6
SRV75105	Steel Toe, 15"	Gray	5-15	41.27	39.21

Iron Duke® PVC Knee Boot

Constructed of durable injection-molded PVC. The 15" Boot extends to just below the knee and has a steel shank and steel toe for an enhanced level of protection. The Deep Angle Cleat™ design on the sole and heel provides excellent traction in wet or dry conditions. Made in the USA. Steel toe meets ASTM F2413-05. Specify size when ordering.



Angle Cleat Sole

Item No	Description	Color	Size	PRICED/PAIR	
				1-5	6
SRV18801	Steel Toe, 15"	Black	5-13	26.45	25.13
SRV18802	Plain Toe, 15"	Black	5-13	23.64	22.46

Buffalo Economy PVC Boot

The 15" Buffalo is made of comfortable, flexible PVC. The polyester lining allows the boot to slip on and off easily. Features a removable and replaceable two-layer contoured insole. The lug outsole is excellent for wet, muddy conditions. Ankle, heel and toe bumpers provide added protection. Available with a steel toe which complies with ASTM F2413-05. Specify size when ordering.



Item No	Description	Color	Size	PRICED/PAIR	
				1-5	6
ONG0087-8010	Steel Toe, 15"	Black	3-13	17.04	16.19
ONG0087-4010	Plain Toe, 15"	Black	3-13	14.60	13.87

PacLantic Centurion Black PVC Boot

Provides rugged protection from wet, sloppy conditions and also resists many chemicals and acids. The self-cleaning bar cleat sole ensures secure footing and traction. The 16" Boot features a reinforced shank for good support, an inner liner for easy donning, and a removable inner sole. A toe bar increases durability, and a heel kick lug makes removal easier. Cut lines allows for trimming if a shorter boot is required. Steel toe style complies with ASTM F2413-05. Six pairs per case. Specify size when ordering.



Bar Cleat Sole



Heel Kick Lug

Item No	Description	Color	Size	PRICED/CASE	
				1-5	6
PLIST16B	Steel Toe, 16"	Black	6-14	92.18	87.57
PLIPT16B	Plain Toe, 16"	Black	6-14	81.27	77.21

Neoprene Over-The-Sock Snuglegs Boot

A triple-dipped, multi-ply construction outwears natural rubber boots by several lifetimes. Every boot is dipped twice in neoprene and then coated in a sealant to provide waterproof and chemical-resistant foot protection. Neoprene provides protection from solvents, caustics, oils, fats and acids. Fabric liner and a contour cushion insole offer a snug fit with added comfort. Skid-resistant chevron outsoles eject debris and are ideal for work where scraps and waste are present. Meets ASTM F 2413-05 M/I/75/C/75 EH for steel toe caps and electrical hazard protection.




Item No	Description	Color	Size	PRICED/PAIR	
				1-5	6
TINMB921B	Steel Toe, 16"	Brick Red	6-13	66.82	63.48

FOOTWEAR

NFPA HazProof™ Boot

Ideal for chemical and hazmat cleanup and emergency response, and an excellent choice to have ready for domestic preparedness in the event of a terrorist chemical attack. The injection-molded seamless construction is 100% liquidproof. Larger foot area accommodates the extra bulk of an encapsulated suit. Features include a steel toe, a steel shank for firm arch support, a steel midsole that exceeds CSA Z195-M for sole and heel puncture resistance, a blown closed-cell midsole for cushioned comfort, and a stretch fastener closure system that makes on and off easy, even while wearing gloves. Sure Grip cleated outsole resists abrasion and provides excellent slip resistance. Boot is bright orange for high visibility. Meets ASTM F2413-05 standard for steel toe impact and compression and electrical hazard protection. Tested to Military Standard 282 and ASTM F1001 for hazardous chemical emergencies in accordance with test method ASTM F 739 and ANSI Z41 PT99 I/75 C/75. Meets CSA Z195-02. Specify size when ordering.



TINGLEY

Item No	Description	Color	Size	PRICED/PAIR	
				1-5	6
TIN82330	Steel Toe, 11"	Orange/Cream	7-13	72.23	68.62

Chemical Overboot

The simple design of the Chemical Overboot makes it convenient to use for quick chemical protection. Constructed of durable Hazmax® material for superior chemical resistance. Slip-resistant four-way cleated sole is self-cleaning. A special fold line on 10" boot allows a snug fit. Kick-off lug provides hands-free removal. Chemical Overboots are ideal for emergency responders, HAZMAT technicians and site remediation workers. Meets NFPA standards.



ONGUARD INDUSTRIES
100% Polyester Made in America

Four-Way Cleated Sole

Item No	Description	Color	Size	PRICED/PAIR	
				1-5	6
ONG87025	Chemical Overboot, 10"	Green	S-2XL	50.76	48.22

Hazmax® Knee Boot

Features a 16" injection-molded seamless construction for excellent durability and protection. The high-visibility green upper includes a steel toe, full steel midsole and steel ladder shank to protect against penetration and contamination. Easy-to-clean Ultragrip® Sipe Sole is designed for durability and slip resistance. Comfortable contoured insoles are replaceable. Nonabsorbent polyester lining keeps feet dry and can be cleaned easily. Includes a kick-off lug for hands-free removal. Meets NFPA 1991, 2005 edition guidelines for chemical permeation resistance and flammability resistance. Complies with ASTM F2413-05 and CSA Z195-02. Specify size when ordering.



ONGUARD INDUSTRIES
100% Polyester Made in America

Ultragrip Sipe Sole

Item No	Description	Color	Size	PRICED/PAIR	
				1-5	6
ONG87012	Steel Toe, 16"	Green	6-15	94.76	90.02

Hazmax® EZ-Fit Boot

A wide gate makes boot entry easy even when the user is wearing a bulky protective suit, which is ideal for emergency response and hazmat teams. The 11" boot is constructed from a chemical-resistant proprietary blend compound and has an injection-molded seamless design for excellent durability and protection from dangerous chemicals or biological agents. Includes a reinforced steel toe, a steel midsole and a 1" steel ladder shank which combine to provide excellent impact, crush and puncture resistance. The nonslip EZ-decon outsole offers outstanding slip resistance and is easy to clean. Includes a kick-off lug for hands-free removal and pull-on tabs for easy donning. Certified by SEI to meet the requirements of NFPA 1991 Standard on Vapor-Protective Ensembles for Hazardous Materials Emergencies, 2005 edition. Complies with ASTM F2413-05 and is CSA Z195-02 certified.



ONGUARD INDUSTRIES
100% Polyester Made in America

EZ-decon Outsole

Item No	Description	Color	Size	PRICED/PAIR	
				1-5	6
ONG87015	Steel Toe, 11"	Green	S-XL	94.76	90.02

Hazmax® EZ-Fit 007 Boot

All of the features of the Hazmax EZ-Fit Boot, but in a black color intended for use in clandestine operations. Ideal for use in situations involving dangerous chemicals, gases or biological hazards and waste. Specify size when ordering.

ONGUARD INDUSTRIES
100% Polyester Made in America



Item No	Description	Color	Size	PRICED/PAIR	
				1-5	6
ONG87007	Steel Toe, 11"	Black	S-XL	94.76	90.02

Latex Nuke Boot

Economical 100% waterproof foot protection. The Nuke Boot slips easily over footwear, creating a layer of chemical and liquid resistance. A textured sole offers a high level of traction, which increases safety. Specify size when ordering.

WEST CHESTER



Item No	Description	Color	Size	PRICED/PAIR	
				1-49	50
WCM8400	Nuke Boot, Yellow Latex	Yellow	M-2XL	3.58	3.40

FOOTWEAR


TINGLEY

Natural Rubber Work Overshoe

Made of a stretch rubber compound for protection against organic acids, salts, alkalis and alcohols. Waterproof Overshoes do not crack or stiffen, even in the coldest weather. Injection-molded, seamless construction allows for less rubber in the upper, giving greater stretchability for easy on and off. Reinforced heel, toe and sole provide durability. A deep-cleated outsole spits out debris for excellent slip resistance. Specify size when ordering.

Item No	Description	Color	Size	PRICED/PAIR	
				1-11	12
TIN1300	Rubber Overshoe	Black	S-2XL	13.10	12.45

TINGLEY PVC Steel Toe Overshoe

The affordable Overshoe converts everyday shoes into on-the-job safety footwear. Seamless, 100% waterproof construction protects shoes against common chemicals, contaminants and wear. Stretchable, long-wearing Frigiflex® PVC compound stays flexible in cold temperatures. Injection-molded design puts more material in high-wear areas, less in upper to reduce weight. Features include pull-on tab, heel kicker, and slip-resistant cleated outsole. Molded-in "shoe locks" above the heel and on the upper ensure a secure fit. Ideal for jobsite visitors. Steel toe exceeds ASTM F2413-05. Specify size when ordering.



Item No	Description	Color	Size	PRICED/PAIR	
				1-11	12
TIN35211	Overshoes, Steel Toe	Black/Yellow	S-XL	24.62	23.39


SERVUS
SERVUS
MADE IN USA

Lite 'n Grit™ Overshoe and Trimmable Overboot

Get slip-resistance and waterproof protection from these top-quality overshoes. Made from chemical-resistant PVC, with aluminum oxide grit molded into the sole for excellent traction on slick, oily surfaces. The PVC construction provides exceptional cold weather flex. Available in a low-cut **Overshoe** or an **Overboot** (17" with a trim line at 10" for greater versatility). Specify size when ordering.


Aluminum Oxide Grit Sole

SR108 - Trim for Ideal Height

Item No	Description	Color	Size	PRICED/PAIR	
				1-11	12
SRVSR105	Overshoe	Black	S-3XL	43.00	40.85
SRVSR108	Overboot	Black	S-3XL	54.55	51.82


SERVUS
SERVUS
MADE IN USA

SF™ Super-Fit Overboot and Overshoe

A roomy design fits over bulky leather footwear with wide toes, wedged outsoles and knobby treads. 100% waterproof seamless, dual-compound construction molds a stretchable upper to a long-wearing, slip-resistant outsole and includes reinforcement at the toe and heel for extra protection where it's needed. Self-cleaning treads on the outsole keep gripping edges free for improved traction. Innovative elastic-loop closure is quick, durable and easy to use. Kick-off lug makes removal easy. Specify size when ordering. Made in the USA.


11001

Slip-Resistant Sole

Item No	Description	Color	Size	PRICED/PAIR	
				1-5	6
SRV11003	SF Overshoe, 4"	Black	XS-XL	16.91	16.06
SRV11001	SF Overboot, 12"	Black	S-XL	20.91	19.86



Yellow Rubber Slicker Slush Boot

This 17" yellow overshoe is made of lightweight rubber that stretches over work footwear. Black cross-rib outsole reduces slippage, and adjustable buckled side strap offers better fit. Hand-layered construction keeps the outsole flexible. Net lining allows the overshoe to slip on and off easily. Special rubber compound prevents ozone deterioration and is 100% waterproof. Specify size when ordering.

WEST CHESTER

Item No	Description	Color	Size	PRICED/PAIR	
				1-11	12
WCM8200	Slush Boot	Yellow	9-18	14.76	14.02

FOOTWEAR ACCESSORIES



ALFB-101

Metagards® Metatarsal Foot Guards

Made of 20-gauge stainless steel lined with a 3/8" high-density closed-cell pad. Metaguards deflect falling objects, distributing the shock of impact. Metaguards are reusable and easy to attach. Fit Men's size 6 to 13 steel toe work shoes, high- and low-topped. Model **ALFB-101** is for shoes with laces. Model **ALFB-107** is for shoes and foundry boots without laces, or for quick on and off. Meet ANSI Z41.1, Class MT 75 for impact protection.



Item No	Description	PRICED/PAIR	
		1-5	6
ALPALFB-101	Metaguards for Shoes w/ Laces	34.09	32.39
ALPALFB-107	Metaguards for Shoes without Laces	35.91	34.11



ALFB-107



1004

Rack'Em™ Boot Rack



Dry, organize and store boots conveniently. Boots store upside-down so they won't lose their shape, and wet boots dry more quickly when they're off the ground. **Standard Rack** is constructed of heavy-duty steel with a black epoxy coating for general use and can be mounted easily on the wall with the supplied screws. **PVC-Coated Rack** is for use with boots worn around bleaches, acids and chemicals. Durable **Stainless Steel Rack** is also available.

			PRICED/EACH	
Item No	Description	Dimensions	1-11	12
Standard Rack				
HOR1011	Holds 1 Pair	4H x 10W x 10½"D	8.76	8.32
HOR1002	Holds 2 Pairs	4½"H x 18½"W x 10½"D	15.61	14.83
HOR1003	Holds 3 Pairs	4½"H x 26½"W x 10½"D	21.66	20.58
HOR1004	Holds 4 Pairs	4½"H x 35½"W x 10½"D	26.69	25.36
PVC-Coated Rack				
HOR1044-PVC	Holds 4 Pairs	4½"H x 35½"W x 10½"D	30.22	28.71
Stainless Steel Rack				
HOR1054-STNLS	Holds 4 Pairs	4½"H x 35½"W x 10½"D	84.11	79.90



Trex 6300

Chill-Its® Trex 6300 Cleats

Ensure secure footing on slick, icy surfaces. Eight durable steel studs on the bottom provide a stable grip on any surface. Stretchable rubber fits easily over shoes. Maintains flexibility in temperatures as low as -40°F (-40°C). Two replacement studs included.



Item No	Description	Size	Unit	PRICED/PAIR	
				1-5	6
ERG16753	Cleats	M	Pair	15.95	15.15
ERG16754	Cleats	L	Pair	15.95	15.15
ERG16755	Cleats	XL	Pair	15.95	15.15
ERG16795	Replacement Spikes	—	8/Pack	3.95	3.75



Cleated Outsole
Ultragrip Sole

86056

Hip Waders

Waterproof protection up to the hip. Waders have a 32" inseam and 35" outseam and feature a lightweight and durable PVC upper with polyester backing, a built-in steel shank and kick-off lug. Each is tested for waterproof protection and resists oil, grease, gasoline, saltwater and ozone. The nonabsorbent polyester lining and removable insole allow for easy cleaning. Pliable enough to be folded or rolled without cracking. Available with a cleated sole or Ultragrip® sipe sole which has a steel midsole. Steel toe styles comply with ASTM F2413-05. Black. Specify size when ordering.



Item No	Description	Color	Size	PRICED/PAIR	
				1-5	6
ONG86055	Hip Waders, Plain Toe, Cleated	Black	6-13	67.10	63.75
ONG86056	Hip Waders, Steel Toe, Cleated	Black	6-13	69.56	66.08
ONG86856	Hip Waders, Steel Toe, Ultragrip	Black	6-13	93.80	89.11



Cleated Outsole

86049

Storm King Waders

Durable, waterproof above-the-knee protection. 27" Waders feature a lightweight and durable PVC upper with polyester backing, a built-in steel shank and kick-off lug. Each is tested for total waterproof protection and resists oil, grease, gasoline, saltwater and ozone. A nonabsorbent polyester lining and removable insole allow for easy cleaning. Waders are pliable enough to be folded or rolled without cracking, allowing for easy storage and transportation. The Storm King has a cleated sole and a steel toe which complies with ASTM F2413-05. Specify size when ordering.



Item No	Description	Color	Size	PRICED/PAIR	
				1-5	6
ONG86049	Storm King, Steel Toe, Cleated	Black	6-13	67.10	63.75



1001

"The Snake" Wader Hanger

Easily hang the heaviest of waders for quick drying and convenient storage. The rugged steel wire construction has a black epoxy coating for added durability. The s-shaped hanger holds waders securely.



Item No	Description	Dimensions	PRICED/EACH	
			1-3	4
HOR1001	"The Snake" Wader Hanger	9 1/4H x 10W x 6"D	7.94	7.54